

## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Currently amended) A display device ~~including~~ comprising at least one display cell sealed by one seal member in which an electro-optical converting member is held by two substrates, and having a defective area and normal area in the inside of the one seal member; another at least one display cell sealed by another seal member in which ~~[[the]]~~ an electro-optical converting member is held by two substrates, and having ~~[[the]]~~ a defective area and a normal area in the inside of ~~[[the]]~~ another seal member; ~~[[and]]~~ these display cells being overlapped; ~~characterized in that~~ wherein,

the display cell provided to an opposite side of an observer has ~~[[an]]~~ a normal area, which is wider than that of the display cell provided to a side of the observer.

2. (Currently amended) ~~[[A]]~~ The display device as claimed in claim 1, ~~characterized in that~~ wherein the display cell is a cells are liquid crystal display ~~[[cell]]~~ cells in which the electro-optical converting member consists of a liquid crystal.

3. (Currently amended) ~~[[A]]~~ The display device as claimed in claim 2, ~~characterized in that~~ wherein the display device is formed by overlapping two liquid crystal display cells, and at least one liquid crystal display cell is a drive cell to which a liquid crystal drive voltage is applied.

4. (Currently amended) ~~[[A]]~~ The display device as claimed in claim 2, ~~characterized in that~~ wherein the display device is formed by overlapping two liquid

crystal display cells, one liquid crystal display cell ~~[[is]]~~ being a drive cell to which a liquid crystal drive voltage is applied, and the other liquid crystal display cell ~~[[is]]~~ a correction cell to which ~~[[the]]~~ a liquid crystal drive voltage is not applied.

5. (Currently amended) ~~[[A]]~~ The display device as claimed in claim 4, ~~characterized in that,~~ wherein in the drive cell and the correction cell, one of inside sizes of the seal member of the drive cell and the seal member of the correction cell is larger than the other inside size.

6. (Currently amended) ~~[[A]]~~ The display device as claimed in claim 4, ~~characterized in that,~~ wherein in the drive cell and the correction cell, one of sizes of an effective display area of the drive cell and an effective display area of the correction cell is larger than the other size of the effective area.

7. (Currently amended) ~~[[A]]~~ The display device as claimed in claim 5 or 6, ~~characterized in that~~ wherein the liquid crystal panel display device is structured by overlapping the drive cell with the correction cell, in the form that the defective area having defects of cell-gap and/or of alignment in the vicinity of the inside of the seal member of the drive cell is overlapped in the range of the normal area ~~having no defect~~ of the correction cell.

8. (Currently amended) ~~[[A]]~~ The display device as claimed in claim 5 or 6, ~~characterized in that~~ wherein the liquid crystal panel display device is structured by overlapping the drive cell with the correction cell, in the form that the defective area having defects of cell-gap and/or of alignment in the vicinity of the inside of the seal member of the correction cell is overlapped in the range of the normal area ~~having no defect~~ of the correction cell.

9. (Cancelled).

10. (Currently amended) **[[A]]** The display device as claimed in ~~any one~~  
~~of claims claim 2 [[to 8]], characterized in that~~ wherein the liquid crystal is an STN liquid  
crystal.